

AFGHANISTAN



USCENTCOM

FUSION CELL

SOVIET ARTILLERY IN AFGHANISTAN



AFGHANISTAN



TABLE OF CONTENTS (U)

FOREWORD	ii
INTRODUCTION	1
IN THE BEGINNING	3
THE TACTICS	10
CHANGES, IMPROVEMENTS, AND UPGRADES	16
CONCLUSIONS	21

(U) Soviet front and army commanders will normally attach some of their assigned artillery to first echelon maneuver divisions to ensure the ground commander has adequate fire support. The remaining artillery at front and army level is then formed into provisional artillery groups.



figure 1 - 122mm self-propelled 40-round rocket launcher (BM-21) (U)




figure 3 - 122mm howitzer (M-30) (U)




figure 4 - 122mm howitzer (D-30) (U)




figure 5 - 122mm self-propelled howitzer (2S1) (U)



figure 6 - 120mm self-propelled howitzer (2S9) (U)




figure 7 - 152mm self-propelled howitzer (2S3) (U)



figure 8 - 120mm towed mortars (U)




figure 9 - M-1974 artillery command vehicle (U)




figure 18 - 152mm self-propelled gun 2S5 (U)



figure 19 - 240mm towed mortar (M-240) (U)